

.....
Name date signature

4.3. LabMatic employee opinion:

YES NO

- ✓ Check the works location with a cable finder*
- ✓ Constant supervision by GTS required*
- ✓ Written order for work required*

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Other requirements:

.....
.....
.....

LabMatic's employee:

.....
Name date signature

4.4. Underground utilities networks not elsewhere specified: YES NO

- ✓ Permanent supervision of an employee of an external company is required*
- ✓ Written order for work required*

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Other requirements:

.....
.....
.....

The employee:

.....
Name date signature

4.5. Gas network:

YES NO

- ✓ ETIWS employee's ongoing supervision required*
- ✓ Written order for work required*

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Other requirements:

.....
.....
.....

The ETIWS employee:

.....
Name date signature

7. I'm allowing for commencement of the earthworks: **)

Date	Works coordinator's name	Signature

8. I've acknowledged the findings of the "Local Earthwork Permit". I commit to use and observe them: **)

Date	Works manager (contractor)		Construction equipment operator	
	Name	signature	Name	signature

9. Register of additional supervisors **)

Date	Name	Supervision start time	Supervision end time	Signature of additional supervising staff

10. Appendices

YES NO

Indicative map required*)

List of appendices:

NOTE:

The Works Coordinator shall report (by phone at 71 794 3430 or personally) the fact of commencement and end of earthworks on a given day to the Plant Dispatcher and the area administrator (user) where the earthworks will be performed, giving the following data: a) location of the works, b) scope of the works, c) name of Contractor, d) number of Contractor's workers, e) duration of the works (start time and end time).

*) - mark whatever is required by placing an "x" in the appropriate box.

**) - the number of rows in the table may be increased or decreased as necessary.